




C.G.A. Ricambi Srl
Via Canale 13
41013 Castelfranco Emilia (MO)
Tel. 059.920379 – 923429 Fax 059.950071



LISTINO CINGOLI IN GOMMA LS Track



CAVI IN ACCIAIO A FILO CONTINUO

CODICE	DESCRIZIONE	LISTINO €
CNG. 180 60 32	Cingolo in Gomma LS Track 180x60x32	128
CNG. 180 60 34	Cingolo in Gomma LS Track 180x60x34	136
CNG. 180 60 35	Cingolo in Gomma LS Track 180x60x35	140
CNG. 180 60 37	Cingolo in Gomma LS Track 180x60x37	148
CNG. 180 60 38	Cingolo in Gomma LS Track 180x60x38	152
CNG. 180 72 34	Cingolo in Gomma LS Track 180x72x34	158
CNG. 180 72 35	Cingolo in Gomma LS Track 180x72x35	162
CNG. 180 72 37	Cingolo in Gomma LS Track 180x72x37	172
CNG. 180 72 34 K	Cingolo in Gomma LS Track 180x72x34K	200
CNG. 180 72 37 K	Cingolo in Gomma LS Track 180x72x37K	218
CNG. 180 72 38 K	Cingolo in Gomma LS Track 180x72x38K	224
CNG. 180 72 39 K	Cingolo in Gomma LS Track 180x72x39K	230
CNG. 180 72 40 K	Cingolo in Gomma LS Track 180x72x40K	236
CNG. 180 72 41 K	Cingolo in Gomma LS Track 180x72x41K	240
CNG. 180 72 43 K	Cingolo in Gomma LS Track 180x72x43K	252
CNG. 200 72 37	Cingolo in Gomma LS Track 200x72x37	200
CNG. 200 72 39	Cingolo in Gomma LS Track 200x72x39	212
CNG. 200 72 41	Cingolo in Gomma LS Track 200x72x41	222
CNG. 200 72 42	Cingolo in Gomma LS Track 200x72x42	228
CNG. 200 72 43	Cingolo in Gomma LS Track 200x72x43	232
CNG. 200 72 37 K	Cingolo in Gomma LS Track 200x72x37K	242
CNG. 200 72 39 K	Cingolo in Gomma LS Track 200x72x39K	256
CNG. 200 72 47 K	Cingolo in Gomma LS Track 200x72x47K	308





C.G.A. Ricambi Srl

Via Canale 13

41013 Castelfranco Emilia (MO)

Tel. 059.920379 – 923429 Fax 059.950071



CNG. 230 48 60	Cingolo in Gomma	LS Track	230x48x60	330
CNG. 230 48 62	Cingolo in Gomma	LS Track	230x48x62	340
CNG. 230 48 64	Cingolo in Gomma	LS Track	230x48x64	350
CNG. 230 48 66	Cingolo in Gomma	LS Track	230x48x66	360
CNG. 230 48 68	Cingolo in Gomma	LS Track	230x48x68	370
CNG. 230 48 70	Cingolo in Gomma	LS Track	230x48x70	380
CNG. 230 48 72	Cingolo in Gomma	LS Track	230x48x72	390
CNG. 230 48 70 K	Cingolo in Gomma	LS Track	230x48x70K	390
CNG. 230 72 39	Cingolo in Gomma	LS Track	230x72x39	266
CNG. 230 72 41	Cingolo in Gomma	LS Track	230x72x41	280
CNG. 230 72 42	Cingolo in Gomma	LS Track	230x72x42	286
CNG. 230 72 43	Cingolo in Gomma	LS Track	230x72x43	294
CNG. 230 72 45	Cingolo in Gomma	LS Track	230x72x45	308
CNG. 230 72 47	Cingolo in Gomma	LS Track	230x72x47	320
CNG. 230 72 48	Cingolo in Gomma	LS Track	230x72x48	328
CNG. 230 72 46 K	Cingolo in Gomma	LS Track	230x72x46K	370
CNG. 230 72 47 K	Cingolo in Gomma	LS Track	230x72x47K	378
CNG. 230 96 30	Cingolo in Gomma	LS Track	230x96x30	330
CNG. 230 96 31	Cingolo in Gomma	LS Track	230x96x31	340
CNG. 230 96 32	Cingolo in Gomma	LS Track	230x96x32	350
CNG. 230 96 33	Cingolo in Gomma	LS Track	230x96x33	360
CNG. 230 96 35	Cingolo in Gomma	LS Track	230x96x35	380
CNG. 230 96 36	Cingolo in Gomma	LS Track	230x96x36	390
CNG. 250 109 38 W	Cingolo in Gomma	LS Track	250x109x38W	600
CNG. 250 109 41 W	Cingolo in Gomma	LS Track	250x109x41W	650
CNG. 250 47 84 K	Cingolo in Gomma	LS Track	250x47x84K	570
CNG. 250 485 84 Y	Cingolo in Gomma	LS Track	250x48,5x84Y	580
CNG. 250 525 72 K	Cingolo in Gomma	LS Track	250x52,5x72K	556
CNG. 250 525 76 K	Cingolo in Gomma	LS Track	250x52,5x76K	586
CNG. 250 525 73 N	Cingolo in Gomma	LS Track	250x52,5x73N	516
CNG. 250 525 76 N	Cingolo in Gomma	LS Track	250x52,5x76N	538
CNG. 250 525 77 N	Cingolo in Gomma	LS Track	250x52,5x77N	544
CNG. 250 525 78 N	Cingolo in Gomma	LS Track	250x52,5x78N	552
CNG. 250 525 80 N	Cingolo in Gomma	LS Track	250x52,5x80N	566
CNG. 250 72 45	Cingolo in Gomma	LS Track	250x72x45	388
CNG. 250 72 47	Cingolo in Gomma	LS Track	250x72x47	406
CNG. 250 72 52	Cingolo in Gomma	LS Track	250x72x52	448
CNG. 250 72 49 B	Cingolo in Gomma	LS Track	250x72x49B	490
CNG. 250 72 50 B	Cingolo in Gomma	LS Track	250x72x50B	500
CNG. 260 55,5 78 Y	Cingolo in Gomma	LS Track	260X55,5x78Y	714
CNG. 260 96 36	Cingolo in Gomma	LS Track	260x96x36	462
CNG. 260 96 38	Cingolo in Gomma	LS Track	260x96x38	488
CNG. 260 96 40	Cingolo in Gomma	LS Track	260x96x40	512
CNG. 260 96 41	Cingolo in Gomma	LS Track	260x96x41	526
CNG. 300 109 38 W	Cingolo in Gomma	LS Track	300x109x38W	862
CNG. 300 109 41 W	Cingolo in Gomma	LS Track	300x109x41W	914



C.G.A. Ricambi Srl

Via Canale 13

41013 Castelfranco Emilia (MO)

Tel. 059.920379 – 923429 Fax 059.950071



CNG. 300 525 74 K	Cingolo in Gomma	LS Track	300x52,5x74K	712
CNG. 300 525 76 K	Cingolo in Gomma	LS Track	300x52,5x76K	730
CNG. 300 525 78 K	Cingolo in Gomma	LS Track	300x52,5x78K	750
CNG. 300 525 80 K	Cingolo in Gomma	LS Track	300x52,5x80K	768
CNG. 300 525 82 K	Cingolo in Gomma	LS Track	300x52,5x82K	788
CNG. 300 525 84 K	Cingolo in Gomma	LS Track	300x52,5x84K	808
CNG. 300 525 88 K	Cingolo in Gomma	LS Track	300x52,5x88K	846
CNG. 300 525 72 N	Cingolo in Gomma	LS Track	300x52,5x72N	692
CNG. 300 525 74 N	Cingolo in Gomma	LS Track	300x52,5x74N	712
CNG. 300 525 76 N	Cingolo in Gomma	LS Track	300x52,5x76N	730
CNG. 300 525 78 N	Cingolo in Gomma	LS Track	300x52,5x78N	750
CNG. 300 525 80 N	Cingolo in Gomma	LS Track	300x52,5x80N	768
CNG. 300 525 82 N	Cingolo in Gomma	LS Track	300x52,5x82N	788
CNG. 300 525 84 N	Cingolo in Gomma	LS Track	300x52,5x84N	808
CNG. 300 525 86 N	Cingolo in Gomma	LS Track	300x52,5x86N	826
CNG. 300 525 72 W	Cingolo in Gomma	LS Track	300x52,5x72W	704
CNG. 300 525 74 W	Cingolo in Gomma	LS Track	300x52,5x74W	722
CNG. 300 525 76 W	Cingolo in Gomma	LS Track	300x52,5x76W	742
CNG. 300 525 78 W	Cingolo in Gomma	LS Track	300x52,5x78W	762
CNG. 300 525 80 W	Cingolo in Gomma	LS Track	300x52,5x80W	782
CNG. 300 525 82 W	Cingolo in Gomma	LS Track	300x52,5x82W	800
CNG. 300 525 84 W	Cingolo in Gomma	LS Track	300x52,5x84W	820
CNG. 300 525 86 W	Cingolo in Gomma	LS Track	300x52,5x86W	840
CNG. 300 525 90 W	Cingolo in Gomma	LS Track	300x52,5x90W	878
CNG. 300 525 78 WK	Cingolo in Gomma	LS Track	300x52,5x78WK	850
CNG. 300 525 82 WK	Cingolo in Gomma	LS Track	300x52,5x82WK	894
CNG. 300 525 88 WK	Cingolo in Gomma	LS Track	300x52,5x88WK	960
CNG. 300 53 80 K	Cingolo in Gomma	LS Track	300x53x80K	830
CNG. 300 53 84 K	Cingolo in Gomma	LS Track	300x53x84K	872
CNG. 300 555 76 Y	Cingolo in Gomma	LS Track	300x55,5x76Y	788
CNG. 300 555 78 Y	Cingolo in Gomma	LS Track	300x55,5x78Y	810
CNG. 300 555 82 Y	Cingolo in Gomma	LS Track	300x55,5x82Y	830
CNG. 300 55 88	Cingolo in Gomma	LS Track	300x55x88N	956
CNG. 320 525 74 N	Cingolo in Gomma	LS Track	320x52,5x74N	740
CNG. 320 525 80 N	Cingolo in Gomma	LS Track	320x52,5x80N	800
CNG. 320 54 72	Cingolo in Gomma	LS Track	320x54x72N	740
CNG. 320 54 78	Cingolo in Gomma	LS Track	320x54x78N	800
CNG. 320 86 46 B	Cingolo in Gomma	LS Track	320x86x46B	930
CNG. 320 86 48 B	Cingolo in Gomma	LS Track	320x86x48B	970
CNG. 320 86 49 B	Cingolo in Gomma	LS Track	320x86x49B	990
CNG. 320 86 50 B	Cingolo in Gomma	LS Track	320x86x50B	1010
CNG. 320 86 52 B	Cingolo in Gomma	LS Track	320x86x52B	1050
CNG. 320 86 53 B	Cingolo in Gomma	LS Track	320x86x53B	1070
CNG. 320 86 56 B	Cingolo in Gomma	LS Track	320x86x56B	1132





C.G.A. Ricambi Srl

Via Canale 13

41013 Castelfranco Emilia (MO)

Tel. 059.920379 – 923429 Fax 059.950071



CNG. 320 86 46 T	Cingolo in Gomma	LS Track	320x86x46T	930
CNG. 320 86 48 T	Cingolo in Gomma	LS Track	320x86x48T	970
CNG. 320 86 52 T	Cingolo in Gomma	LS Track	320x86x52T	1050
CNG. 320 106 39	Cingolo in Gomma	LS Track	320x106x39	820
CNG. 350 525 84 W	Cingolo in Gomma	LS Track	350x52,5x84W	940
CNG. 350 525 86 W	Cingolo in Gomma	LS Track	350x52,5x86W	962
CNG. 350 54,5 86 K	Cingolo in Gomma	LS Track	350x54,5x86K	1158
CNG. 350 56 84 W	Cingolo in Gomma	LS Track	350x56x84W	1120
CNG. 350 755 74 Y	Cingolo in Gomma	LS Track	350x75,5x74Y	1528
CNG. 380 100 42	Cingolo in Gomma	LS Track	380x100x42 PT	2006
CNG. 400 142 37 K	Cingolo in Gomma	LS Track	400x142x37K	1624
CNG. 400 144 36 Y	Cingolo in Gomma	LS Track	400x144x36Y	1500
CNG. 400 725 68 KB	Cingolo in Gomma	LS Track	400x72,5x68KB	1468
CNG. 400 725 72 KB	Cingolo in Gomma	LS Track	400x72,5x72KB	1510
CNG. 400 725 74 KB	Cingolo in Gomma	LS Track	400x72,5x74KB	1552
CNG. 400 725 72 N	Cingolo in Gomma	LS Track	400x72,5x72N	1490
CNG. 400 725 74 N	Cingolo in Gomma	LS Track	400x72,5x74N	1530
CNG. 400 725 68 W	Cingolo in Gomma	LS Track	400x72,5x68W	1416
CNG. 400 725 70 W	Cingolo in Gomma	LS Track	400x72,5x70W	1460
CNG. 400 725 72 W	Cingolo in Gomma	LS Track	400x72,5x72W	1500
CNG. 400 725 74 W	Cingolo in Gomma	LS Track	400x72,5x74W	1540
CNG. 400 725 76 W	Cingolo in Gomma	LS Track	400x72,5x76W	1582
CNG. 400 725 72 KU	Cingolo in Gomma	LS Track	400x72,5x72KU	1500
CNG. 400 725 74 KU	Cingolo in Gomma	LS Track	400x72,5x74KU	1540
CNG. 400 74 72 N	Cingolo in Gomma	LS Track	400x74x72N	1600
CNG. 400 755 74 Y	Cingolo in Gomma	LS Track	400x75,5x74Y	1708
CNG. 450 100 48	Cingolo in Gomma	LS Track	450x100x48	1510
CNG. 450 100 50	Cingolo in Gomma	LS Track	450x100x50	1572
CNG. 450 71 82	Cingolo in Gomma	LS Track	450x71x82	1994
CNG. 450 71 84	Cingolo in Gomma	LS Track	450x71x84	2042
CNG. 450 71 86	Cingolo in Gomma	LS Track	450x71x86	2090
CNG. 450 76 80	Cingolo in Gomma	LS Track	450x76x80	2254
CNG. 450 81 76 N	Cingolo in Gomma	LS Track	450x81x76N	2212
CNG. 450 81 76 W	Cingolo in Gomma	LS Track	450x81x76W	2234
CNG. 450 815 76	Cingolo in Gomma	LS Track	450x81,5x76N	2200
CNG. 450 835 74 K	Cingolo in Gomma	LS Track	450x83,5x74K	2316
CNG. 450 835 74 Y	Cingolo in Gomma	LS Track	450x83,5x74Y	2220
CNG. 450 86 52	Cingolo in Gomma	LS Track	450x86x52	1386
CNG. 450 86 55	Cingolo in Gomma	LS Track	450x86x55	1466
CNG. 450 86 56	Cingolo in Gomma	LS Track	450x86x56	1492
CNG. 450 86 60	Cingolo in Gomma	LS Track	450x86x60	1600
CNG. 460 102 51	Cingolo in Gomma	LS Track	460x102x51PT	2958
CNG. 460 102 56	Cingolo in Gomma	LS Track	460x102x56PT	3246
CNG. 485 92 72	Cingolo in Gomma	LS Track	485x92x72	3350

